

**From:** [R6HarveySITL](#)  
**To:** [R6HarveyInfo](#)  
**Subject:** FW: Draft Harvey 0700 Update 09162017  
**Date:** Friday, September 15, 2017 10:52:42 PM  
**Attachments:** [09-16-2017 0700 Update Draft.docx](#)

---

---

**From:** Woods, Amy  
**Sent:** Friday, September 15, 2017 10:51:29 PM (UTC-06:00) Central Time (US & Canada)  
**To:** R6HarveySITL; Hayes, Scott  
**Subject:** RE: Draft Harvey 0700 Update 09162017

Draft attached with updated resources table. Drinking water and waste water maps removed as requested.

**Amy Woods** | GIS / Mapping Designer  
Main: 303.792.5911 | Direct: 303.705.9344 | Fax: 303.792.0227  
[Amy.Woods@rooney-eng.com](mailto:Amy.Woods@rooney-eng.com)

Tetra Tech Rooney  
115 Inverness Drive East, Suite 300 | Englewood, CO 80112 | [Tetra Tech Oil & Gas](#) | [rooney-eng.com](http://rooney-eng.com)

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

---

**From:** R6HarveySITL [<mailto:R6HarveySITL@epa.gov>]  
**Sent:** Friday, September 15, 2017 9:56 PM  
**To:** Woods, Amy <[Amy.Woods@rooney-eng.com](mailto:Amy.Woods@rooney-eng.com)>  
**Subject:** Draft Harvey 0700 Update 09162017